


# 珍珠 身體檢查計劃



## HK\$12,800

此計劃為30至50歲或以上女性設計，醫護人員有機會就你的個人健康狀況提出其他建議。

計劃包括：

- 個人健康分析
- 病歷

### 全身體格檢查

量度血壓  
量度身高  
量度體重  
計算體重指數

### 血液檢查

全血計數  
血塗片  
紅血球沉降率  
血型及恒河猴因子  
6磷酸葡萄糖脫氫酶

### 肝功能

谷草轉氨酶  
谷丙轉氨酶  
鹼性磷酸酶  
丙種谷氨酰轉肽酶  
總及直接膽紅素

### 腎功能

尿素  
鈉  
鉀  
肌酸酐

### 電解物

鈣  
白蛋白調整鈣

### 蛋白質

白蛋白球蛋白比率  
總蛋白、白蛋白、球蛋白

### 糖尿病

空腹血糖  
糖化血色素  
平均血糖估計值

### 血脂

總膽固醇、高密度及低密度膽固醇、  
三酸甘油酯  
膽固醇/高密度膽固醇比值

### 甲狀腺功能

促甲狀腺激素  
游離亞甲狀腺素  
游離甲狀腺素

### 痛風

尿酸

### 甲型肝炎

總甲型肝炎抗體檢驗

### 乙型肝炎

乙型肝炎表面抗體  
乙型肝炎表面抗原

### 荷爾蒙評估

卵泡刺激素  
黃體生成激素  
雌二醇

### 血清學

梅毒血清試驗  
德國麻疹抗體 IgG

### 腫瘤指標

甲胎蛋白(肝)  
癌胚抗原(腸)  
EBV DNA(鼻咽癌定量測試)  
EB病毒抗體測試(鼻咽癌指標)  
癌抗原 125(卵巢)

### 小便

常規檢查

### 大便

常規檢查  
大便隱血

### X光檢查

肺

### 骨質密度測定

腰椎骨及股骨

### 超聲波

全腹超聲波  
乳房超聲波

### 3D乳房造影

3D乳房造影

### 其他

子宮頸細胞檢查  
肺功能測試

### 檢查後專業諮詢及解釋報告

註：以上價錢只供參考，格和醫療集團有權定期更新收費表，如有任何疑問，可與本診所職員聯絡。

九龍尖沙咀河內道5號普基商業中心2樓(FemWell)

電話: 2157 3846 | Whatsapp: 9705 8160 | [hk.femwell.co](http://hk.femwell.co)



Instagram



Facebook

更新日期 Updated: 2024-03

# 身體檢查注意事項

## 珍珠身體檢查計劃

1. 請預早15分鐘到達診所
2. 檢查過程約需2小時30分鐘
3. 需空腹6-8小時，可以飲清水(不要喝咖啡及茶類飲品)
4. 子宮頸細胞檢查注意事項
  - 檢查前一星期避免進行陰道藥物治療
  - 檢查前一日避免任何陰道灌洗及性行為
  - 經期期間及其後七天都不適宜接受此項檢查
  - 不建議未發生過性行為女士進行此檢查
5. 盆腔超聲波注意事項
  - 需急小便，請於檢查前盡量飲水，以保持膀胱脹滿，方便進行盤腔超聲波檢查
6. 乳房超聲波/乳房X光造影/骨質密度測試注意事項
  - 如確定或懷疑懷孕或哺乳中，請通知本中心職員
  - 檢查當天，請勿於腋下或乳前塗上止汗液、潤膚膏及爽身粉
  - 建議安排於月經期完最後一天起計七天後進行，以減低對乳房造成不適
  - 告知醫護人員對上一次月經的第一日
7. 請告知醫護人員正在服用的所有長期藥物
8. 請攜同現時正在服用藥物及相關檢查之舊片及報告以作參考
9. 報告大約一星期後完成




# Pearl Health Check Package

HK\$12,800

This plan is designed for women aged 30 to 50 or above. Healthcare professionals may provide additional suggestions based on the individual health condition.

## PLANS INCLUDE:

- HEALTH ANALYSIS
- MEDICAL HISTORY



### Physical Examination

Blood Pressure Measurement  
Body Height Measurement  
Body Weight Measurement  
BMI Measurement

### Blood Test

Complete Blood Count (Including Platelet)  
Blood Film  
E.S.R.  
Blood Grouping and Rh Typing  
G6PD

### Liver Function

A.S.T.  
A.L.T.  
Alkaline Phosphatase  
Gamma GT  
Bilirubin (Total & Direct)

### Kidney Function

Urea  
Sodium  
Potassium  
Creatinine

### Electrolytes

Calcium  
Albumin Adjusted Calcium

### Protein

A/G Ratio  
Total Protein, Albumin, Globulin

### Diabetic Screening

Fasting Glucose  
Haemoglobin A1C  
Estimated Average Glucose (eAG)

### Lipid Profile

Total Cholesterol, HDL, LDL,  
Triglycerides  
Total Cholesterol/HDL - C Ratio

### Thyroid Function

Thyroid Stimulating Hormone (TSH)  
FT3  
FT4

### Gout Screening

Uric Acid

### Hepatitis A Screening

HAV Ab - IgG

### Hepatitis B Screening

HBs Antibody  
HBs Antigen

### Hormone Assessment

Follicle Stimulation Hormone  
Luteinizing Hormone  
E2 Estradiol

### Serology

VDRL  
Anti-Rubella Virus IgG

### Tumor Markers

Alpha-Fetoprotein (AFP)  
Carcinoembryonic Antigen - CEA  
EBV DNA (NPC Quantitative)  
EBV Antibody  
CA125 - Ovary

### Urine

Urine Routine & Microscopy

### Stool

Stool Routine  
Occult Blood

### X-Ray

Chest

### Bone Densitometry (DEXA)

Spine & Hip

### Ultrasound

USG Whole Abdomen  
USG Breast

### 3D Mammogram

3D Mammogram

### Other

Cervical Smear  
Lung Function Test

## Post Body Check Consultation

Note: All the prices listed are for reference only, Chiron Medical Group reserves the right to update the price information. For any enquiries please do not hesitate to contact our staff.

2/F, Podium Plaza, 5 Hanoi Road, Tsim Sha Tsui, Kowloon  
(FemWell)

Tel: 2157 3846 | Whatsapp: 9705 8160 | [hk.femwell.co](http://hk.femwell.co)



Instagram



Facebook

# Checkup Instructions

## Pearl Healthcheck Package

1. Arrive 15 minutes early.
2. Checkup will take approximately 2 hours 30 minutes.
3. Fast for 6-8 hours, drink water only (no coffee/tea).

### Pap smear:

4. Avoid vaginal meds 1 week prior.
5. Avoid douching, sex the day before.
6. Avoid during / 7 days after menstruation.
7. Not recommended if no prior sexual activity.

### Pelvic ultrasound:

8. Drink water beforehand to have a full bladder.

### Breast exams:

9. Notify staff if pregnant/breastfeeding.
10. Avoid deodorant, moisturizer on exam day.
11. Schedule 7 days after last menstrual period.

### Stool sample:

12. Collect sample in provided container.
13. Return within 24 hours.
14. Avoid during 7 days after menstruation.

15. Inform staff of any long-term medications.

16. Bring current meds, past exam reports.

17. Report available in about 1 week.



Instagram



Facebook